

### **SAFETY DATA SHEET**

Section 1. Identification of the material and the supplier

Product: Everbuild 195 Siliconised Acrylic White

Product Use: Sealant

Restrictions of use: Refer to Section 15

New Zealand Supplier: Sabre Adhesives Ltd Address: 42 Cambridge Street

Levin, 5510, New Zealand

Telephone: +64 (0)6 366 0007

Emergency No: 0800 764 766 (National Poison Centre)

**Australian Supplier:** Sabre Adhesives Ltd

Address: Level 6, 10 Herb Elliot Avenue, Sydney, NSW, 2127

Telephone No: +61 2 9098 8244

Emergency No: 13 11 26 (National Poison Line)

Date SDS Issued: 12 September 2017

### Section 2. Hazards Identification

Australia – This substance is NOT hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals, 3rd Revised Edition

# NZ - This substance is NOT hazardous according to The HSNO (Minimum Degrees of Hazard) Regulations 2001

### Section 3. Composition of hazardous Ingredients

Ingredients	Wt%	CAS NUMBER.
Non-hazardous ingredients	To 100	

### Section 4. First Aid Measures

### Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. If eye irritation persists:

Get medical advice.

If on Skin Rinse skin with water/shower. If skin irritation occurs: Get medical advice/

attention.

If Swallowed Do not induce vomiting. Wash out mouth with water. Do not give milk or

alcoholic beverages. Never give anything to the mouth of an unconscious

person. Seek medical attention if needed.

Product Name: Everbuild 195 Siliconised Acrylic White Issued by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 12 September 2017 Tel: +64 9 475 5240 WWW.techcomp.co.nz

If Inhaled

Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult.

Hazard Type	Non Flammable
Hazards from products	None known.
Suitable Extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Precautions for firefighters and special protective clothing	In the event of fire, wear self-contained breathing apparatus.
HAZCHEM CODE	None allocated

### Section 6. Accidental Release Measures

For personal protection, see Section 8.

Keep unnecessary and unprotected personnel away from the spillage.

No special environmental precautions required.

Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal. Dispose of according to Local Regulations.

### Section 7. Handling and Storage

#### **Handling and Storage:**

- Read label before use.
- When using do not eat or drink. When using do not smoke.
- Store in cool, well ventilated area.
- Keep container tightly closed.
- Isolate from incompatible materials detailed in Section 10.

### Section 8 Exposure Controls / Personal Protection

### **Exposure Limit Values:**

### **WORKPLACE EXPOSURE STANDARDS (provided for guidance only)**

TWA STEL Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply.

### **Engineering Controls**

Not required.

Product Name: Everbuild 195 Siliconised Acrylic White Issued by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 12 September 2017 Tel: +64 9 475 5240 WWW.techcomp.co.nz

**Personal Protection Equipment** 

Eyes	Safety glasses.
Hands and	Chemical-resistant, impervious gloves complying with an approved standard
Skin	must be worn at all times when handling chemical products. Butyl
	rubber/nitrile rubber gloves (0,4 mm), Recommended: Butyl rubber/nitrile rubber gloves.
	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory	Respiratory protection not required.

#### **Section 9 Physical and Chemical Properties**

Appearance	Paste
Colour	Not available
Odour	Slight
Odour Threshold	Not determined
pH	Not available
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not available
Upper and Lower	Not available
<b>Explosive Limits</b>	
Vapour Pressure	Not available
Density	1.6 g/cm3
Solubility in water	Soluble
Partition Coefficient:	Not available
Auto Ignition temp	Not available
Oxidising	Not available
Viscosity, Kinematic	> 20.5 mm2/s

## Section 10. Stability and Reactivity

Stability of Substance	Stable at normal ambient temperatures and when used as recommended.
Conditions to Avoid	None known.
Incompatible Materials	None known.
<b>Hazardous Decomposition</b>	No hazards to be specially mentioned.
Products	·

Section 11	Toxicological Information

### **Acute Effects:**

Swallowed	Not applicable.
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Not applicable.
Skin	Not applicable.

### **Chronic Effects:**

Product Name: Everbuild 195 Siliconised Acrylic White Issued by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 12 September 2017 Tel: +64 9 475 5240 WWW.techcomp.co.nz

Carcinogenicity	Not applicable.
Reproductive	Not applicable.
Toxicity	
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

### Section 12. Ecotoxicological Information

This product is not known to be hazardous to the environment.

Persistence and degradability	No data available
Biodegradation	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available

#### **Product:**

**Assessment**: This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent

and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **Section 13. Disposal Considerations**

Disposal Method: Triple rinse and dispose of according to Local Regulations.

Precautions: None known.

### **Section 14** Transport Information

This product is NOT classified as a Dangerous Good for transport in Australia; ADG 7 This product is NOT classified as a Dangerous Good for transport: NZS 5433:2012

### Section 15 Regulatory Information

### <u>Australia:</u>

This substance is NOT hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals, 3rd Revised Edition

Poison Schedule No: Not Scheduled

### **New Zealand:**

This substance is NOT hazardous according to The HSNO (Minimum Degrees of Hazard) Regulations 2001

### Section 16 Other Information

- 1. HSNO Approved Code of Practice: Preparation of Safety Data Sheets, September 2006.
- 2. Safe Work Australia NOHSC 2011 National Code of Practice

#### Disclaimer

This document has been issued by the TCC(NZ) Ltd and serves as their Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to the TCC(NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly

Product Name: Everbuild 195 Siliconised Acrylic White Issued by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 12 September 2017 Tel: +64 9 475 5240 WWW.techcomp.co.nz

from the manufacturer. While TCC(NZ) Ltd have taken all due care to include accurate and upto-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC(NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the distributor if further information is required.

Issue Date: 12 September 2017 Review Date: 12 September 2022

Product Name: Everbuild 195 Siliconised Acrylic White Issued by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 12 September 2017 Tel: +64 9 475 5240 WWW.techcomp.co.nz