New Zealand Food Safety

Haumaru Kai Aotearoa

04 March 2024

Joel Simmons Sabre Adhesives Ltd PO Box 569 Levin 5510

Dear Joel,

APPROVAL OF DAIRY MAINTENANCE COMPOUND FOR USE IN FARM DAIRIES AND FOR USE IN DAIRY PROCESSING

The new product **SabreSeal MS25 Building Facade & Industrial Hybrid Sealant** has been considered in conjunction with the type of validation information provided and has been determined to satisfy the requirements of regulations 12, 13, 14, 53 and 247 of the Animal Products Regulations 2021 and regulation 43 of the Raw Milk for Sale Consumers Regulations 2015, when used in accordance with the label.

The product **SabreSeal MS25 Building Facade & Industrial Hybrid Sealant** has been assessed and is approved for use in farm dairies and for use in dairy premises when used in accordance with label instructions.

This approval of the compound for use in farm dairies and dairy processing is subject to the following conditions:

- 1. To be used in accordance with label instructions.
- 2. Must not be used on milk or food contact surfaces, or where contact with food might occur.
- 3. The surrounding area must be out of service and well-ventilated during application.

Where this approval is stated on the product label, the statement "MPI approved for use in farm dairies" and "MPI approved for use in dairy processing" is to be used, unless an alternative is agreed in writing by MPI.

Should this product be determined to be unsatisfactory when used as recommended by the manufacturer or an agent of the manufacturer at the stated dosage, MPI may withdraw this approval.

Should this product be determined to be unsatisfactory when used as recommended by the manufacturer or an agent of the manufacturer at the stated dosage, MPI may withdraw this approval.

Review

This approval of a dairy maintenance compound for use in farm dairies and dairy processing is valid for a maximum period of 5 years but is subject to periodic review and may be withdrawn at any time should the Director-General determine that there is sufficient evidence that the product is not fit for the purpose for which this approval applies. You will be issued a letter prior to the review date, which is set at **04 March 2029**, but you are responsible for ensuring that this review is completed if you wish to retain MPI approval of the above dairy maintenance compound.

Yours faithfully,

Alipate Camaivuna

Acting Manager Approvals
Acting under delegated authority
Ministry for Primary Industries



New Zealand Food Safety

Ministry for Primary Industries Charles Fergusson Building, 34-38 Bowen St, Pipitea

PO Box 2526 | Wellington 6140 | +64-4-894-2550