

## SAFETY DATA SHEET

### Section 1. Identification of the material and the supplier

Product: SabreBond SMP40  
Product Use: Adhesive/Sealant  
Restrictions of use: Refer to Section 15

**New Zealand Supplier:** **Sabre Adhesives Ltd**  
Address: 40-42 Cambridge Street South  
Levin, 5510, New Zealand  
Telephone: +64 (0)6 366 0007  
**Emergency No:** **0800 764 766 (National Poison Centre)**

**Australian Supplier:** **Sabre Adhesives Ltd**  
Address: Level 6, 10 Herb Elliot Avenue, Sydney NSW, 2127  
Telephone No: +61 2 9098 8244  
**Emergency No:** **13 11 26 (National Poison Line)**

Date SDS Issued: 23 February 2026 v2

### Section 2. Hazards Identification

#### Australia:

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia

#### New Zealand:

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

**NZ - EPA Approval Code:** Surface Coatings and Colourants (subsidiary) – HSR002670

#### Pictograms



**SIGNAL WORD: Warning**

GHS Classification and Category	Hazard Code	Hazard Statement
Skin irritation Cat. 2	H315	Causes skin irritation.
Eye irritation Cat. 2	H319	Causes serious eye irritation.

**Prevention Code      Prevention Statement**

P103	Read carefully and follow all instructions.
P264	Wash hands thoroughly after handling.
P280	Wear protective clothing.

**Response Code      Response Statement**

P362 +P364	Take off contaminated clothing and wash before re-use.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

**Storage Code      Storage Statement**

None allocated	
----------------	--

**Disposal Code      Disposal Statement**

P501	Dispose of according to the local authorities
------	---

**Section 3.      Composition of hazardous Ingredients**

<b>Ingredients</b>	<b>Wt%</b>	<b>CAS NUMBER.</b>
Calcium Carbonate	30-60	1317-65-3
Carbonic Acid, Calcium Salt(1:1)	15-40	471-34-1
Titanium Dioxide	0.5-1	13463-67-7
Organosilane	1-5	2768-02-7
Dibutyltin oxide	0.1-1	818-08-6
Diisononyl phthalate	15-40	28553-12-0
Carbon Black	<0.1	1333-86-4

**Section 4.      First Aid Measures**

Routes of Exposure:

If in Eyes	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice.
If on Skin	Take off contaminated clothing and wash before re-use. Wash skin with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention.
If Swallowed	Rinse mouth thoroughly with water. Give plenty of water to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.
If Inhaled	If fumes or combustion products are inhaled remove from contaminated area. Remove contaminated clothing and loosen remaining clothing. Allow

person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult.

### Most important symptoms and effects, both acute and delayed

Symptoms:

- Ingestion:** Not applicable.  
**Inhalation:** Not applicable.  
**Skin:** Causes skin irritation.  
**Eye:** Causes serious eye irritation.

## Section 5. Fire Fighting Measures

<b>Hazard Type</b>	Non-Flammable.
<b>Hazards from products</b>	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
<b>Suitable Extinguishing media</b>	Use carbon dioxide, regular dry chemical, regular foam or water. Do not use high-pressure water streams.
<b>Precautions for firefighters and special protective clothing</b>	A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies. Heating may cause an explosion. Containers may rupture or explode. Keep away from sources of ignition - No smoking Move material from fire area if it can be done without risk Avoid inhalation of vapors or combustion by-products. Dike for later disposal. Stay upwind and keep out of low areas.
<b>HAZCHEM CODE</b>	<b>None allocated</b>

## Section 6. Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures

Wear personal protective clothing and equipment, see Section 8. Keep unnecessary and unprotected personnel away from the spillage.

In case of spillage, stop the flow of material and block any potential routes to water systems. Only personnel trained for the hazards of this material should perform clean up and disposal.

## Section 7. Handling and Storage

### Handling:

- Read label before use.
- Wash hands thoroughly after handling.
- Keep away from all ignition sources.
- Avoid contact with eyes and skin.
- Do not eat, drink or smoke when using this product.
- Take precautionary measures against static discharge.
- Wear protective clothing as detailed in Section 8.

### Storage

- Store locked up.
- Store in a cool dry place.
- Store in a well-ventilated area.
- Keep separated from incompatible substances such as strong oxidisers and acids.
- Keep container tightly closed.
- Empty containers may contain product residue.
- Avoid contact with temperatures above 120 C.

## Section 8 Exposure Controls / Personal Protection

### WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Limestone (Calcium carbonate) [1317-65-3]	-	10	-	-
Marble (Calcium carbonate) [471-34-1]	-	10	-	-
Titanium dioxide [13463-67-7]	-	2.5(r) 0.2(uf)	-	-
Carbon black 6.7B [1333-86-4]	-	3	-	-
Diisononyl phthalate [28553-12-0]	-	5	-	-

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices FEB 2025 151<sup>TH</sup> EDITION.

### Engineering Controls

Ventilation equipment should be explosion-resistant if explosive concentrations of material are present. Provide local exhaust or process enclosure ventilation system.

### Personal Protection Equipment



<b>Eyes</b>	Wear splash resistant safety goggles with a faceshield.
<b>Hands</b>	Wear appropriate chemical resistant gloves.
<b>Skin</b>	Wear appropriate chemical resistant clothing.
<b>Respiratory</b>	Selection and use of respiratory protective equipment should be worn.

## Section 9 Physical and Chemical Properties

<b>Appearance</b>	Paste (solid)
<b>Colour</b>	Black, Gray and white
<b>Odour</b>	Mild
<b>Odour Threshold</b>	Not available
<b>pH</b>	Not available
<b>Boiling Point</b>	Not available
<b>Melting Point</b>	Not available
<b>Freezing Point</b>	Not available
<b>Flash Point</b>	93.3°C
<b>Flammability</b>	Highly Flammable
<b>Upper and Lower Explosive Limits</b>	Not available
<b>Vapour Pressure</b>	Not available
<b>Vapour Density</b>	Not available
<b>Specific Gravity (water=1)</b>	1.3 – 1.7
<b>Solubility in water</b>	Slightly soluble
<b>Partition Coefficient:</b>	Not available
<b>Auto-ignition Temperature</b>	Not available

<b>Decomposition Temperature</b>	Not available
<b>Kinematic viscosity</b>	Not available
<b>Particle Characteristics</b>	Not applicable

## Section 10. Stability and Reactivity

<b>Stability of Substance</b>	Stable at normal ambient temperatures and when used as recommended.
<b>Conditions to Avoid</b>	Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials. Avoid contact with temperatures above 120 C.
<b>Incompatible Materials</b>	Strong oxidizers and acids.
<b>Hazardous Decomposition Products</b>	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## Section 11 Toxicological Information

### Acute Effects:

<b>Swallowed</b>	Not applicable.
<b>Dermal</b>	Not applicable.
<b>Inhalation</b>	Not applicable.
<b>Eye</b>	Causes severe irritation to eyes.
<b>Skin</b>	Causes skin irritation.

### Chronic Effects:

<b>Carcinogenicity</b>	Not applicable.
<b>Reproductive Toxicity</b>	Not applicable.
<b>Germ Cell Mutagenicity</b>	Not applicable.
<b>Aspiration</b>	Not applicable.
<b>STOT/SE</b>	Not applicable.
<b>STOT/RE</b>	Not applicable

### Individual Components toxicity data:

#### **Carbonic acid, calcium salt (1:1) (471-34-1)**

Oral LD50 Rat 6450 mg/kg

**Titanium dioxide (13463-67-7)** Oral LD50 Rat >10000 mg/kg

**Carbon black (1333-86-4)** Oral LD50 Rat >15400 mg/kg

**Organosilane (2768-02-7)** Oral LD50 Rat 7340 µL/kg

**Dibutyltin oxide (818-08-6)** Oral LD50 Rat 44.9 mg/kg

**Diisononyl phthalate (28553-12-0)** Oral LD50 Rat >9750 mg/kg / Inhalation LC50 Rat >4.4 mg/L 4 h (no deaths occurred)

## Section 12. Ecotoxicological Information

This product is not hazardous to the environment.

<b>Persistence and degradability</b>	No data available.
<b>Bioaccumulation</b>	No data available.
<b>Mobility in Soil</b>	No data available.
<b>Other adverse effects</b>	No data available

<b>Diisononyl phthalate</b>	<b>28553-12-0</b>
Fish:	LC50 96 h Brachydanio rerio >100 mg/L [semi-static ]; LC50 96 h Lepomis macrochirus >0.14 mg/L [flow-through ]; LC50 96 h Lepomis macrochirus >0.17 mg/L [static ]; LC50 96 h Pimephales promelas >0.19 mg/L [flow-through ]; LC50 96 h Pimephales promelas >0.14 mg/L [static ]
Algae:	EC50 72 h Desmodesmus subspicatus >500 mg/L IUCLID ; EC50 96 h Pseudokirchneriella subcapitata >1.8 mg/L [static ] EPA
Invertebrate:	EC50 48 h Daphnia magna >500 mg/L IUCLID ; EC50 48 h Daphnia magna >0.06 mg/L [Static ] EPA

### Section 13. Disposal Considerations

#### Disposal Method:

Triple rinse and dispose according to Local Regulations.

**Precautions or methods to avoid:** None known.

### Section 14 Transport Information

**This product is NOT classified as a Dangerous Good for transport in Australia; ADG 7  
This product is NOT classified as a Dangerous Good for transport: NZS 5433:2020**

### Section 15 Regulatory Information

#### Australia:

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Classified as a Schedule 5 Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

#### New Zealand:

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: Surface Coatings and Colourants (subsidiary) – HSR002670

<b>HSW (HS) Regulations 2017 and EPA Notices</b>	<b>Trigger Quantity</b>
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	Not required
Emergency Response Plan	Not required
Secondary Containment	Not required
Restriction of Use	Only use for the intended purpose.

### Section 16 Other Information

#### Glossary

EC<sub>50</sub>

Median effective concentration.

EEL

Environmental Exposure Limit.

EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC <sub>50</sub>	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD <sub>50</sub>	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

#### References:

##### Australia:

1. Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.
2. Standard for the Uniform Scheduling of Medicines and Poisons.
3. Australian Code for the Transport of Dangerous Goods by Road & Rail.
4. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.
5. Workplace exposure standards for airborne contaminants, Safe work Australia.
6. American Conference of Industrial Hygienists (ACGIH).
7. Globally Harmonised System of classification and labelling of chemicals.

##### New Zealand:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices FEB 2025 15<sup>th</sup> edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2020
5. HSW (Hazardous Substances) Regulations 2017

#### Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the Australian Manufacturer or New Zealand distributor, if further information is required.

Issue Date: 23 February 2026      Review Date: 23 February 2031